



Development of Mobile Cadastral Surveying System for Korean Cadastral Resurvey Project

Dr. SangGu Kang

Principal Researcher
Cadastral Research Institute,
Korea Cadastral Survey Corp.
sgukang@kcsc.co.kr

Munich, Germany, FIG 2006 Congress-October 12

Korea Cadastral Survey Corporation



Contents

- Objective
- Full System Configuration
- Full System Diagram
- Survey system configuration
- Principal of RTK-GPS
- Test application
- Benefits
- Future development Objective

Korea Cadastral Survey Corporation

Munich, FIG 2006 Congress-October 12 2



Objective

- Mobile RTK GPS survey system prototype development.
- A large output RF modem (PDL) communication field test.
- Field data processing module development.
- Modernization of current cadastral survey working skill.
- Increasing productivity to adapt digital cadastral map.
- Increasing company's competitive strength with marketing.
- Reinforcing company's reliability.

Korea Cadastral Survey Corporation

Munich, FIG 2006 Congress-October 12 3



System configuration


- RTK-GPS 1set : Base, Rover.
- RF modem PDL, Whip Antenna, AC/DC Power Supply.
- Total system(Mapping S/W : Developed in KCSC), 19' LCD.
- 4 wheel drive Vehicle(Mobile Platform).

Korea Cadastral Survey Corporation

Munich, FIG 2006 Congress-October 12 4




System Diagram




Korea Cadastral Survey Corporation

Munich, FIG 2006 Congress-October 12 5



Surveying System Diagram



Korea Cadastral Survey Corporation

Munich, FIG 2006 Congress-October 12 6

RTK-GPS Principal

- ✓ Improved Kinematic.
- ✓ Real time processing.
- ✓ Base station transmits correction data.(RF modem, CDMA)
- ✓ GPS Initialization. (Ambiguity Fix)
- ✓ Dual frequency GPS for simultaneous initialization.
- ✓ Suitable for topographic, Cadastral survey application.






Base Rover

Korea Cadastral Survey Corporation Munich, Fig 2006 Congress-October 12 7

Correction data transmission

Two type of GPS correction data transmission.
Each solution should follow the field situation.




RF modem
CDMA
CDMA Base

Korea Cadastral Survey Corporation Munich, Fig 2006 Congress-October 12 8

Test project to support real field work

- ❖ Objective
 - ❑ Mobile System performance analysis doing real field work.
 - ❑ Comparison with typical survey procedure.
 - ❑ Complete mobile survey application development.


Korea Cadastral Survey Corporation Munich, Fig 2006 Congress-October 12 9

Field work supports

- ❑ Muhwak2 GyodongMyon KangHwaGun, large land arrangement project.
 - Miner survey support for boundary confirmation.
 - Equipment : RTK-GPS 4Set(GSR2600, Sokkia), 1 Mobile Vehicle.
 - Local calibration using four cadastral auxiliary control points.
- ❑ Island control point survey, ChungChung NamDo sea shore.
 - 320 Cadastral control points support in WonSanDoRi BoRyong.
 - Equipment : RTK-GPS 4Set (GSR2600, Sokkia), 1 Mobile Vehicle.
 - Local calibration using seven cadastral auxiliary control points.

Korea Cadastral Survey Corporation Munich, Fig 2006 Congress-October 12 10

Testing Method



Korea Cadastral Survey Corporation Munich, Fig 2006 Congress-October 12 11

Test application(cont.)




Korea Cadastral Survey Corporation Munich, Fig 2006 Congress-October 12 12

Test application(cont.) - Checking Data & Sorting -

The screenshot displays the 'Field Book Editor' window with a table of field data. The table has columns for 'Field No.', 'Field Name', 'Area', 'Perimeter', 'Method', and 'Status'. Below the table is a 'Field Book View' window showing a grid of field boundaries.

Munich, Fig 2006 Congress-October 12 13

Test application(cont.) - Data Input for mapping -

The screenshot shows a map view with a data input window overlaid. The data input window contains a table with columns for 'Field No.', 'Field Name', 'Area', 'Perimeter', 'Method', and 'Status'. The map view shows a grid of field boundaries.

Munich, Fig 2006 Congress-October 12 14

Test application(cont.) - Mapping 1 -

The screenshot shows a map view with a red outline of a field boundary overlaid on a grid. The map view shows a grid of field boundaries.

Munich, Fig 2006 Congress-October 12 15

Test application(cont.) - Mapping 2 -

The screenshot shows a map view with a red outline of a field boundary overlaid on a grid. The map view shows a grid of field boundaries.

Munich, Fig 2006 Congress-October 12 16

Test application(cont.) - Overlapping analysis -

The screenshot shows a map view with a red outline of a field boundary overlaid on a grid. The map view shows a grid of field boundaries. Overlapping areas are highlighted in green.

Munich, Fig 2006 Congress-October 12 17

Benefit

- Optimization of working procedure. Minimize labor, Maximize working performance, Setting up the moving field office.
- Full coverage in the large working field.
- Efficient survey performance in large project.
- Cost saving.
- Improving mobility, company advertisement effect.

Munich, Fig 2006 Congress-October 12 18



Future development Objective

- ❖ Real time data transmission using wireless communication.
- ❖ New antenna development, best fit in forest and field.
- ❖ Development Mobile survey system using Network RTK reference.
- ❖ Reinforcing data processing S/W module.
- ❖ Publication Working standard.

Korea Cadastre Survey Corporation Munich, Fig 2006 Congress-October 12 19



Thank You for Your Attention

QUESTIONS ??

Korea Cadastre Survey Corporation Munich, Fig 2006 Congress-October 12 20